




TRIOLOGY EXIT/ TRIOLOGY EXIT WITH PROX

TRIOLOGY EXIT

- Field-proven clutch Mechanism ensures long life and durability
- Fingertip and/or Windows Programmable
- 2000 User Codes: Master, manager, supervisor and users
- Real Time Clock for up to 40,000 Event Time/Date-Stamped Audit Trail
- Up to 500 Lock/Unlock Schedules (with Time Zone Support)
- Rugged 12-Button Weather-Resistant Metal Keypad
- Non-Handed; Fully Field Reversible
- Adaptable to most major manufacturers of standard RIM and IC RIM Cylinders
- Battery operated; uses 5 AA batteries
- Battery pack mounts to interior door. Located over or under panic bar (position dependent upon exit device manufacturer).

TRIOLOGY EXIT WITH PROX

- Accepts most HID Proximity cards and keyfobs
- Users are individually programmed to use a card only, code only, or for the highest security -both card and code
- 2000 User Codes: Master, manager, supervisor & users
- Real Time Clock for up to 40,000 Event Time/Date-Stamped Audit Trail
- Up to 500 Lock/Unlock Schedules (with Time Zone Support)
- Prox Card data can be added to software by uploading from lock, by using AL-PRE or entering directly from computer using DL-Windows software.
- Field-proven clutch Mechanism ensures long life and durability
- Fingertip and/or Windows Programmable
- Rugged 12-Button Weather-Resistant Metal Keypad; Non-Handed; Fully Field Reversible
- Adaptable to most major manufacturers of standard RIM and IC RIM Cylinders
- Battery pack mounts to interior door. Located over or under panic bar (position dependent upon exit device manufacturer). Battery operated; uses 5 AA batteries.



TRIOLOGY EXIT

Part No.	Description	Finish	Retail
AKETDLS1G/26DV99	Trilogy Exit Trim, Von Duprin 99	Satin Chrome	995.00
AKETDLS1G/26DY71	Trilogy Exit Trim, Yale 7100	Satin Chrome	995.00
AKETDLS1Z/26DV99	Trilogy Exit Trim, Von Duprin 99	Satin Chrome	995.00

TRIOLOGY EXIT WITH PROX

Part No.	Description	Finish	Retail
AKETPDL1G/26DV99	Trilogy Exit w/Prox, Von Duprin 99	Satin Chrome	1300.00

Models available for: Von Duprin 99 Yale 7100
 Corbin ED5000 Precision 1100 & 1200
 Dorma 9300 Cal Royal 9800
 Arrow 3800
 Sargent 8800

Cylinder adapter kit required when ordering.

DL2800 TRIOLOGY ACCESS CONTROL SYSTEMS WITH AUDIT TRAIL - WEATHER RESISTANT

- Rugged clutch mechanism insures long life & durability
- 150 scheduled events, including 4 "quick schedules" for programming the 4 most common time schedules in one step
- 200 user codes including: Master, Manager, Supervisor and Basic User. Also one-time entry Service Code
- Weather resistant performance with operational temperature range of +151°F to -20°F (+66°C to -29°C)
- Times entry allowance from 5-15 seconds
- Greater security with "Temporary Keypad Lockout" after 3 unsuccessful code-entry attempts. "Keep would-be intruders arbitrarily guessing codes out!"
- Audit Trail with Time/Date Stamp for a printable record of all electronic activity
- Real Time Clock allows logging of events to within 1 second of accuracy
- Relay may be programmed to energize when one or more selected events occur
- 4 Time-Out functions allow a user to enable other users or unlock the lock for some time period without needing to return to the lock
- 1000 Event Log
- Easy to install. Retrofits most cylindrical locksets and digital locks
- Battery operated; uses 5 AA batteries
- Available in standard key override and interchangeable core models accepting 6 or 7 pin cores from Arrow, Best, Falcon or KSP. Other IC core preps available.
- Available in standard Trilogy leverset (straight) or with new Regal (curved) lever.



Part No.	Description	Finish	Retail
AKDL2800-US26D	Digital Lever Handed Lockset w/KO	Satin Chrome	815.00
AKDL2800IC-US26D	Digital Lever Lockset for Int.Core	Satin Chrome	835.00




AskYourLocksmith.com
Lancaster, Pennsylvania
Phone 717-392-6333

TRILOGY - STANDALONE ACCESS CONTROL SYSTEMS


- Accepts most HID Proximity cards and keyfobs including 26 - 48 bit formats
- 2000 User codes; Master; manager; supervisor; basic users
- Users are individually programmed to use a card only, code only, or for the highest security - both card and code
- Card data can be added to software via the lock, card reader module or PC
- Batch enroll feature allows many cards to be quickly added to the software via the lock without the use of a PC
- Weatherproof and operates from -20° F to 151° F (-29° C to 66° C)
- Fingertip (keypad) or Windows PC programmable
- Program data transferred to lock via AL-PCI (PC interface) or AL-DTM (data transfer module)
- Real time clock enables up to 500 scheduled events and holiday schedules
- Up to 40,000 event Audit Trail with printed time/date-stamped log of all electronic activity can be extracted from the lock by using the AL-IRI (infrared printer), the AL-DTM (data transfer module) or AL-PCI (PC interface)
- 5 AA batteries furnished; 60,000 cycles typical. Audible low battery alert
- 'Quick Passage' Mode enabled with an authorized user code and function code (does not require lock to be in program mode)
- Available in four finishes (US 26D, 26, 5 & 3), plus special order finishes (including Durondic US10B)
- Comes with either a standard or Regal curved handle trim

Part No.	Description	Finish	Retail
AKPDL3000-US26D	Digital Lever Handed Lockset w/KO	Satin Chrome	1375.00
AKPDL3000IC-US26D	Digital Lever Lockset for Int.Core	Satin Chrome	1405.00
AKPDL3000	Digital Lever Lockset w/KO	3,5,26 or 10B	1450.00
AKPDL3000IC	Digital Lever Lockset for Int.Core	3,5,26 or 10B	1465.00
AKALHID1326	Proximity Access Card	100/box	440.00
AKAL-IR1	Hand Held Infrared Printer		455.00
AKAL-PCI2	PC Interface Cable (w/DL-Windows)		110.00



TRILOGY MORTISE LOCKS DL3500 SERIES

- Similar in functionality to T3 DL3000 Series, but with:
- 300 User codes: Master, manager, supervisor & basic users
 - Weatherproof - operates from -20°F to 151°F (-29°C to 66°C)
 - Fingertip or Windows PC-programmable
 - Real time clock enables up to 500 scheduled events and holiday schedules
 - 40,000 Event Audit Trail provides a printed time/date-stamped log of all electronic activity
 - Long-life batteries and low-battery alert
 - US versions: Choose either Classroom or Deadbolt versions and left or right handing (if reverse hand is required, lock is field reversible)
 - Available in standard Trilogy US leverset (straight) or with new Regal (curved) handle trim.
 - Five finishes (US 26D, 26, 5, 3 & 10B, plus special order finishes)



Specify Handing - RH or LH

Part No.	Description	Finish	Retail
AKDL3500CRR-US26D	Straight Lever, Classroom Function	Satin Chrome	1140.00
AKDL3500CRR	Straight Lever, Classroom Function	3,5,26,10B	1200.00
AKDL3500DBR-US26D	Straight Lever, Deadbolt Function	Satin Chrome	1140.00
AKDL3500DBR	Straight Lever, Deadbolt Function	3,5,26,10B	1200.00




TRILOGY NARROW STILE ACCESS LOCKS

- DL 1200 Series** supports 100 users, fingertip/keypad programmable. (Includes 2 Lithium 3V batteries).
- DL 1300 Series** supports 2000 users and includes 40,000 event audit trail and 500 event schedule. Keypad or PC programmable. (Includes 2 Lithium 3V batteries).
- PDL 1300 Series** supports 2000 PIN or Prox users and includes 40,000 event audit trail and 500 event schedule. Keypad or PC programmable. (Includes 2 Lithium 3V batteries)


ALL MODELS FEATURE:

- Aluminum door retrofit outside trim for Adams Rite® 1850, 1950, 4710, 4070, 4730, 4900 Series and MS1850S and MS1950S Series latch locks.
- Field-proven, familiar Trilogy® programming & electronics
- PIN code and PIN/Prox Models support 100 to 2000 users (see model info.)
- 40,000 event audit trail in 1300 Series models, provides door usage activity reports at wireless handheld printer, laptop or PC.
- All-metal, vandal-resistant 12-button keypad supports 3-6 digit PIN codes, and multilevel user hierarchy (master, manager, supervisor, basic users)
- Keypad or PC programmable (see model info). Quickly and easily add or delete users and enter "passage mode", service codes, group lock-out & group-enable
- HID Prox 10 cards, keyfobs and prox tags supported in POL-1300 Series models featuring built in Prox reader. (High security applications can require use of both PIN code plus Prox 10 for access.)
- Real time clock and PC programmable automatic lock/unlock scheduling for 500 events (1300 Series models).
- Wide weatherproof operating range from -31 to 151°F (-35 to 66C)
- Wireless stand-alone locks: Long-life, battery- operated; Includes audible and visual low battery alert. (Uses standard off-the-shelf batteries.)
- Non-handed; fully field-reversible.
- Key override; interchangeable cores supported (Corbin/Russwin, Yale, Schlage, Medeco).
- Mortise Cylinder, 1-1/4" supplied. (Supports 1-1/8, 1-1/4 and 1-3/8")
- Compact styling 14-3/8"H x 1-5/8"D x 1-3/4"W
- Backsets 31/32", 1-1/8" and 1-1/2"; Stile thickness 1-3/4"
- Four attractive standard finishes US26D Satin Chrome, US10B Duronodic, MS Metallic Silver & MB Metallic Bronze



Part No.	Description	Finish	Retail
AKDL1200-26D1	Digital Lever Lockset w/KO	Satin Chrome	510.00
AKDL1250-26D2	Digital Knob Lockset w/KO	Satin Chrome	510.00
AKDL1300-26D1	Digital Lever Lockset w/KO	Satin Chrome	635.00
AKDL1350-26D2	Digital Knob Lockset w/KO	Satin Chrome	635.00
AKPDL1300-26D1	Digital Lever Lockset w/KO & PROX	Satin Chrome	895.00
AKPDL1350-26D2	Digital Knob Lockset w/KO & PROX	Satin Chrome	895.00
AKALHID1326	Proximity Access Card	100/box	440.00
AKAL-IR1	Hand Held Infrared Printer		455.00
AKAL-PC12	Serial PC Interface Cable (w/DL-Windows)		110.00
AKAL-PC12-U	Serial/USB Interface Cable (w/DL-Windows)		210.00

ACCESS KEYPADS: 12V/24V W/TRILOGY FEATURES



DK3000

- 100% fingertip or PC programmable
- 2,000 user codes, master, manager, supervisor and basic
- Weatherproof, rugged all-metal 12-button keypad
- 2 high-current rated 10A relays for entry, alarm zone shunning or lock release by real-time schedule
- Timed egress input allows door open for 5, 10 or 15 seconds
- Ideal for use with 12V or 24V (AC or DC) electric door strikes, mag lock or Alarm Lock Remote Release Mag Lock Kit

- Easiest installation in minutes: Wall mount or single gang box
- 40,000 event audit trail: query by PC or handheld printer or DTM module
- Real time clock with time-zone adjustments, enables 500 scheduled or holiday events
- Remote-release feature/request-to-exit input
- Independent tamper -reports attempts to vandalize or remove DK3000 via an alarm system
- Available in 5 finishes: US26D Satin Chrome, US10B Duronodic, US3 Brass, MS Metallic Silver, and MB Metallic Bronze

PDK3000

- All the features of the DK3000 plus:
- Accepts most HID proximity cards and keyfobs

Part No.	Finish	Retail
AKDK3000-26D	Satin Chrome	630.00
AKDK3000-3	Polished Brass	630.00
AKDK3000MS	Metallic Silver	515.00
AKDK3000MB	Metallic Bronze	515.00
AKPDK3000-26D	Satin Chrome	915.00
AKPDK3000-3	Polished Brass	915.00
AKPDK3000MS	Metallic Silver	805.00
AKPDK3000MB	Metallic Bronze	805.00



AskYourLocksmith.com
Lancaster, Pennsylvania
Phone 717-392-6333

TRILOGY - STANDALONE ACCESS CONTROL SYSTEMS



TRILOGY
AUBURN TRAIL

T3 Stand Alone Access Systems push all the right buttons to get your foot in the door with the best in reliable single-door access, now with something extra - comprehensive logging of user entry by time and date, plus access scheduling.

These rugged, self-contained, battery powered systems provide remarkably sophisticated keyless access with the features and multiple security levels that meet or surpass even the most discriminating consumers' needs.

A DIGITAL ACCESS SYSTEM FEATURING:

- 300 User Codes: Master, Manager, Supervisor & Basic Users
- 4 Programming Levels
- 4 User Groups
- 3,4,5 or 6 Digit Codes
- 1 -Time Service Code
- Real Time Clock
- Time Zones
- 150 Scheduled Events (Lock/Unlock, Code Disable/Enable)
- 4 "Quick Schedules" of the most common routines built in.
- 100% Fingertip Programmable or PC Programmable with Intuitive-Use Alarm Lock DL-WINDOWS Windows Software with built-in error check.
- Non-volatile Memory
- 1600 Event Log
- Passage Mode Enabled by Master's and Manager's Codes
- Optional Hand-Held AL-IR1 Infrared Printer may be used to Print the Event Log and User Code List
- ADA-Compliant Leverset Clutch Design.
- UL-Listed Electrically-controlled single-point lock.



T3 with optional AL-IR1 Infrared Printer

Regal handle available

Part No.	Description	Finish	Retail
AKDL3000-US26D	Digital Lever Handed Lockset w/KO	Satin Chrome	970.00
AKDL3000	Digital Lever Handed Lockset w/KO	3,5,10B,26	1025.00
AKDL3000IC-US26D	Digital Lever Lockset for Int.Core	Satin Chrome	985.00
AKDL300IC	Digital Lever Lockset for Int. Core	3,5,10B,26	1040.00
AKAL-DTMIII	Data Transfer Module		390.00
AKAL-IR1	Hand Held Infrared Printer		455.00
AKAL-PCI2-U	Personal Computer Interface Cable-Serial/USB		210.00
AKMX1130	Serial to USB Adapter		100.00

TRILOGY™ DL2700 SERIES DIGITAL LOCKS

The self-contained, battery powered trilogy provides valuable digital security features for virtually the same cost as most mechanical digital locks. Trilogy allows up to (15) different group or individual codes with easy keypad programming. Clutch mechanism permits turning lever without retracting latch and reduces stress on Flex Drive® motor. Outside lever free turning in locked position. Entering access code, key bypass, or remote bypass will allow lever to retract latch. Inside lever always free.

Built in remote release eliminates the need for electric strike.

UL Fire Rated, meets or exceeds ANSI/BHMA Certification Requirements A156.2, Series 4000 Grade 1, FCC Certified, conforms to ADA requirements.

- Clutch mechanism insures long life and durability
- Self-contained, fully programmable 12 digit metal keypad
- Battery operated, uses 5 AA batteries
- Low power audible alert
- Visual and audible entry indicators
- UL Listed fire rated
- Rekeyable and accepts cylinders keyable to most key systems
- Key bypass
- Remote override



Backset: 2 3/4" standard. Comes with 5 AA alkaline batteries.

WITH LEVER HANDLE (Regal handle available)

WITH KNOBS


Part No.	Description	Finish	Retail
AKDL2750-US26D	Digital Knobset w/Key Override	Satin Chrome	670.00
AKDL2750-US3	Digital Knobset w/Key Override	Polished Brass	730.00
AKDL2750-US26	Digital Knobset w/Key Override	Polished Chrome	730.00
AKDL2750-US5	Digital Knobset w/Key Override	Antique Brass	730.00
AKDL2750IC-US26D	Digital Knobset for Int.Core	Satin Chrome	690.00
AKDL2750IC-US3	Digital Knobset for Int.Core	Polished Brass	745.00
AKDL2750IC-US26	Digital Knobset for Int. Core	Polished Chrome	745.00
AKDL2750IC-US5	Digital Knobset for Int. Core	Antique Brass	745.00

Part No.	Description	Finish	Retail
AKDL2700-US26D	Digital Lever Handed Lockset w/KO	Satin Chrome	695.00
AKDL2700-US3	Digital Lever Handed Lockset w/KO	Polished Brass	760.00
AKDL2700-US26	Digital Lever Handed Lockset w/KO	Polished Chrome	760.00
AKDL2700-US5	Digital Lever Handed Lockset w/KO	Antique Brass	760.00
AKDL2700WP-26D	Digital Lockset - Weatherproof	Satin Chrome	745.00
AKDL2700IC-US26D	Digital Lever Lockset for Int.Core	Satin Chrome	710.00
AKDL2700IC-US3	Digital Lever Lockset for Int.Core	Polished Brass	775.00
AKDL2700IC-US26	Digital Lever Lockset for Int. Core	Polished Chrome	775.00
AKDL2700IC-US5	Digital Lever Lockset for Int. Core	Antique Brass	775.00
AKDL2700WPIC-26D	Digital Lockset - Weatherproof IC	Satin Chrome	760.00



- EXIT ALARMS
- BATTERY ELIMINATOR
- PULL HANDLE
- DOOR HOLDER

**MULTIGUARD EXIT ALARM
 MODEL 250 X 28 (WITHOUT CYLINDER)**




AK250 x 28
355⁰⁰
AK250WP x 28
425⁰⁰

Maximum protection from unauthorized use with easy, instant emergency exit. Specify single or double doors. Depressing paddle retracts deadbolt and deadlatch while sounding 95dB alarm. Bypass and alarm reset by key. Low battery warning beep. Optional alarm shutdown after two minutes if desired. Includes (9) volt battery. Requires rim cylinder (not included). Accepts outside rim cylinder and model 707 pull. Finish: metallic silver (Duranodic available)

AK260 x 28	Rearming	390.00
AK260WP x 28	Rearming	460.00

**EMERGENCY EXIT ALARM DEADBOLT LOCK
 SENTRYGARD MODEL 11A**

AK11A
450⁰⁰



*Dimensions: 4 1/2" x 10" x 3"
 Overall width to end of clapper: 18"
 Weight: 8 lbs.*

The best features of a panic device; plus a deadbolt, plus a warning alarm. Provides full time locking of emergency exit doors while complying with standard safety, fire and building department codes. For maximum day and night security and a powerful deterrent against pilferage-from within or without. Always panic proof, with instant automatic exit in case of emergency. Supplied without cylinders. Locks will accommodate all standard rim cylinders. May be operated from outside the door by mounting an extra cylinder.

**UL PANIC DEVICE WITH DEADLOCK
 SAFEGARD MODEL 700 x 28**

AK700 x 28
435⁰⁰



AK700WP x 28
505⁰⁰

Solid deadbolt and deadlatch bar and channel design for long lasting protection. Full door coverage for 36" door (48" length available). Can be shortened for narrow doors. Depressing bar retracts deadbolt and deadlatch while sounding 95 dB alarm. Bypass and alarm reset by key.


Specify single or double doors. Optional alarm shutdown after two minutes if desired. Low battery warning beep. Includes (9) volt battery. Bar dogging. Requires rim cylinder (not included). Accepts outside rim cylinder and model 707 pull. Finish: metallic silver. (Duranodic available).

AK710-US28	Rearming	450.00
AK710WP-US28	Rearming	515.00
AK715-US28	15 Second Exit Delay	800.00

Meets NFPA 101 Life Safety Requirement
 Includes: armored door cable, transformer and egress interface.

OUTSIDE ACCESS DOOR PULL


Allows outside access for alarm lock panic devices. After deadbolt is retracted by outside key, a slight pull releases deadlatch and opens door. Dimensions: 8" x 1 1/2" Note: Not for use with Model 11 A. Finish: Metallic Silver (Duranodic available)
 Requires rim cylinder (not included).



AK707MS
100⁰⁰

**POWER PLUS BATTERY
 ELIMINATOR**

Provides constant power supply with battery backup for Models 11A, PG10, PG20, 80, 250, 260, 700, 710. Built-in circuit breaker with push-button reset eliminates fuse replacement. Includes a camlock cylinder and six ft. of armored cable. Plug-in installation. 117 volt AC to 6 or 9 volt DC.



AKPP100
204⁰⁰

DOUBLE DOOR HOLDER

Secures the inactive door to the door frame while the active door is closed. Releasing the active door automatically allows both doors to swing freely. Reversible; right or left hand doors. Cast aluminum.




Dimensions: 8 1/2"(L) x 3" (W) x 2 1/2" (H)

AK44
94⁰⁰

CURRENT TRANSFER UNIT


Use with electrified locks, this equipment provides a unique way of bringing electrical current from the lock side of the door frame to the door. Power flows only when the door is closed. Perfect for use with Trilogy remote release. Stainless Steel trim



AK261
53⁰⁰

ARMORED DOOR LOOP

For Use With Electric Locks
 An easy way to bring electric current from the hinge side of a door frame to the door. 18" flexible armored cable. End brackets are deep drawn anodized aluminum to conceal wire connections.



AK271
38⁰⁰

•ELECTRONIC LOCKS

•DOOR KEEPER


•SWITCHES

EXIT DOOR ALARM PG-30

Top-of-the-line keypad-controlled narrow stile door alarm, similar to the PG21E, but also featuring the following advanced features:

• **Digital codes for Master, Management and Passage (used for Auto - Arming)**

- 3 security levels for:
 - a. High Security
 - b. Unattended Operations
 - c. Flexible control for delivery doors, etc.
- Audible low battery warning
- 3 programmable 95db siren styles: sweep, pulsed and steady
- Logo key is dual function test button



AKPG30MB	Metallic Bronze	260.00
AKPG30MS	Metallic Silver	260.00
AKPG30KPD	Keypad for External Control of PG30	160.00

CYLINDER FINGER PULL 711

An inexpensive door pull for use when outside key only access is required. *Less cylinder*

AK711-28
Aluminum Finish
23⁰⁰



OUTSIDE EMERGENCY PULL 22

To permit entrance from exterior roof or when outside key only access is required. For use with clapper design only.

AK22
73⁰⁰



EXIT DOOR ALARM


PILFERGARD MODEL PG-10

The original and industry-standard "anti-pilferage" exit door alarm for over 15 years. Budget-priced yet extremely effective against unauthorized use of emergency doors by both customers and employees.

Doors can be safely maintained and unlocked as required by building and safety codes. Used by factories, chain stores, warehouses.


Less mortise, cylinder and key.
Dimensions: 8 1/2" x 4 1/4" x 3 3/8"
Weight: 3 lbs. 14 oz. (with battery)
Finish: handsome gray aluminum

AKPG10 **220⁰⁰**



BATTERY PACK

For PG-10 & 11A Exit Door Alarm



AKBP6
27⁰⁰

EXIT DOOR ALARM

PILFERGARD MODEL PG21

A modern, high-tech annunciator that fits a variety of doors and motifs because of its sleek profile design. Even narrow stile doors easily accept the PG20.


Multi-purpose, easy-to-install, with selectable options for an unprecedented range of applications: magnetic contacts, automatic shutoff or continuous operation, immediate or 15-second delayed alarm sounding.

Solid-state circuitry. Piercing 85dB alarm. Packed with hardware mounting kit, template and warning signs. Less mortise cylinder and key. Rim cylinder for outside key control not included.

Slim-line, metallic-silver finish. Dim: 9" x 2 2/3" 2 1/2"

AKPG21MS	Silver	220.00
AKPG21MB	Bronze	220.00
AKPG21E	w/Max Flex Terminals	240.00

for Remote Monitoring




MODEL 103 FAIL SAFE WITH ALL KEEPERS

A compact unit designed for narrow stile doors. Comes complete with keepers for easy installation on all types of doors and windows - single, pairs, double acting or overhead.

When the lock is aligned with the keeper, the bolt projects into the keeper and locks the door. The bolt is retracted and the door unlocked by either a remote switch, a key switch, time programmer or other electrical contract which interrupts the power. Ideally suited for laundromats, lobby doors of public buildings and other unattended areas.

Dimensions: 1 3/4" x 6 3/4" (including keeper)
Bolt diameter is 5/8" and projects 5/8"



AK103 (Fail unlocked)	275.00
AK103-12VDC (Fail unlocked)	320.00
AK104RA (Fail locked)	325.00