



•FIRE RESISTANCE SAFES

ELECTRONIC LOCK OPTION FOR GARDALL SAFES

Option for new safe or easy retrofit on all Gardall Safes that are handle-activated.

Features

- Quick and Easy Access
- One Million Possible Combinations.
- Different Factory Override Number in every lock.
- Easy Combination Change From the Keypad.

When Ordered With Safe

225⁰⁰

- S & G 6120
- S & G Z-02 Group II



U.L. 2-HOUR INSULATED HOME & BUSINESS SAFES

Statistics show that if a company's records are lost in a fire, 17% can no longer furnish a financial statement, 14% suffer a reduction in credit rating and 43% go out of business completely. No home or business is safe from fire. Your vital records and possessions are only as safe as the quality of protection you provide for them. With Gardall fire resistive safes, you can be confident your records will survive.

STANDARD FEATURES

- Thick 4 1/4" door with recessed anti-pry design. Safe walls are 2 1/2" thick.
- Five active bolts that lock in 3 directions, massive 1" diameter round bolts that extend deep into safes body (models 1812-3018).
- Center bolt down hole with hardware included for easy installation.
- Bolt detent, allowing all bolts to remain retracted until closed, preventing bolt scars on body as well as damage to the boltwork (models 1812-3018).
- Push carpeted quality interior to protect jewelry and valuables (models 1812-3018).
- UL listed Group II high security lock, mechanical or electronic available.
- UL 2-hour fire label, furnace tested to 1850°, safe's interior temperature was less than 350°.
- Solid chrome plated handle with shear point to prevent the safe from being forced open by handle attack.
- Independent re-locker and hardplate to prevent drilling attack on locking mechanism.

OPTIONS

- Key locking dial

COLORS

- Gray or Sandstone



DIMENSIONS AND PRICES

Model	Outside Dimensions			Inside Dimensions			Inside Cubic Inches	Approx Weight (Lbs.)	Standard Interior	Price
	H	W	D	H	W	D				
GA1411/2	21"	16 1/4"	18 3/4"	14"	11"	11"	1693	250	No Shelves	735.00
GA1612/2	23"	17 1/4"	19 3/4"	16"	12"	12"	2304	298	1 Shelf	825.00
GA1812/2	25"	17 1/4"	19 3/4"	18"	12"	12"	2592	310	One Shelf	915.00
GA1818/2	25"	17 1/4"	25 3/4"	18"	12"	18"	3888	392	One Shelf	1025.00
GA171718/2	25"	23 1/4"	25 3/4"	18"	18"	18"	5832	490	Two Shelves	1450.00
GA2218/2	29"	23 1/4"	25 3/4"	22"	18"	18"	7120	525	Two Shelves	1745.00
GA3018/2	37 1/4"	23 1/4"	25 3/4"	30"	18"	18"	9720	620	Three Shelves	2075.00



•RECORD SAFES
 •DEPOSITORY SAFES

LARGE RECORD SAFES

Designed and tested to withstand severe fire and outside temperatures up to 1700°F a comfortable margin of protection for all your valuables. Temperature inside the safes is guaranteed not to exceed 350°F within an hour, while the charring temperature of paper is 405°F. As an added benefit, these safes also have class "B" factory-installed, burglary resistive features built right in. Any way you look at it, you can't go wrong. These safes will protect all your valuable "proof of loss" records required in insurance claims. Specify your choice of standard color: *tan or gray.*

Independent relocking mechanism to deter forced entry

Special Features

- Manufacturers' 2 hour Fire Label
- Independent relocking device deters forced entry
- Adjustable interior shelving
- Full locking bar on the hinged side of the door to deter entry by removal of hinges.
- Plated interlocking door bolts extend into the safe wall to prevent entry if hinges are removed.
- Hard plate between the lock and the dial ring.



3620



4820

Model	Outside Dimensions			Inside Dimensions			Inside Cubic Inches	Approx Weight (Lbs)	Standard Interior	Price
	H	W	D	H	W	D				
GA3620	44 3/4"	25 3/4"	28 1/4"	36 1/4"	20 1/2"	20"	14865	917	Three Shelves	2550.00
GA4220	50 3/4"	25 3/4"	28 1/4"	42 1/4"	20 1/2"	20"	17325	995	Three Shelves	2725.00
GA4820	57 1/2"	25 3/4"	28 1/4"	48 1/4"	20 1/2"	20"	19785	1120	Four Shelves	3125.00

DEPOSITORY SAFES

Available with LaGard 33E Electronic Lock - 225.00

Rotary and Front Loading

Designed to protect money collected where immediate deposit is required. The deposit can be made into the safe while its door locked. Exclusive baffle design protects contents from being removed through the entry opening. A hopper rotor is built into the body of the safe and cannot be removed to gain access into it. The front deposit area is staked securely into each side of the safe and the top is 1/2" thick. Standard color: *gray.*

Special Features-

- Anchoring holes in base
- Class B insurance Rating 1/2" steel door with punch resistant bolt and relocking device to deter forceable entry.
- 1/4" Steel Body Construction.
- Rotary Hopper Capacity - 2 1/2" x 10" x 5". designed to accommodate most money bags and envelopes.
- Front Load Capacity: Designed to fit most large money bages (9" x 11" maximum)
- Available with Electronic, Combination or Dual Key Lock
- Relocking Device. if the back cover is knocked off the lock, this independent mechanism is activated preventing bolt withdrawal.



RC1218K



FL1328K




RC1228C

Model	Outside Dimensions			Inside Dimensions			Inside Cubic Inches	Approx. Weight (Lbs)	Lock	Price
	H	W	D	H	W	D				
GARC1218C	18 1/4"	11 1/2"	13"	11"	10 3/4"	10 3/4"	1271	105	Combination	940.00
GARC1218K	18 1/4"	11 1/2"	13"	11"	10 3/4"	10 3/4"	1271	105	Dual Key	875.00
GARC1228C	25"	14 1/2"	13"	18 1/4"	13 3/4"	10 3/4"	2700	160	Combination	1250.00
GARC1228K	25"	14 1/2"	13"	18 1/4"	13 3/4"	10 3/4"	2700	160	Dual Key	1175.00
GAFL1218C	18 1/4"	11 1/2"	13"	11"	10 3/4"	10 3/4"	1271	105	Combination	940.00
GAFL1218K	18 1/4"	11 1/2"	13"	11"	10 3/4"	10 3/4"	1271	105	Dual Key	875.00
GAFL1328C	25"	14 1/2"	13"	14 1/4"	13 3/4"	10 3/4"	2100	165	Combination	1250.00
GAFL1328K	25"	14 1/2"	13"	14 1/4"	13 3/4"	10 3/4"	2100	165	Dual Key	1175.00




CASH REGISTER TRAY SAFE


- Recessed Door to Help Deter Pry Attacks
- Hard Plate Around the Lock, with Independent Relocker
- Available with Rotary or Front Loading Depository
- Interiors - 2 Adjustable Shelves or 5 Fixed Shelves
- Anchoring Holes in Bottom to Bolt Safe Down
- 3-1 1/4" Round Bolts and Full Length Dead Bolt




FL2522/2



FL2522/5



RC2522/2



RC2522/5



Model	Outside Dim.'s			Interior	Approx Weight (Lbs)	Price
	H	W	D			
GAF2522/2	34"	22"	17 1/4"	Drop compartment w/cam lock, 2 adj. shelves	200	1625.00
GAF2522/5	34"	22"	17 1/4"	Drop compartment w/cam lock, 5 shelves	210	1625.00
GARC2522/2	34"	22"	17 1/4"	Drop compartment w/cam lock, 2 adj. shelves	200	1625.00
GARC2522/5	34"	22"	17 1/4"	Drop compartment w/cam lock, 5 shelves	210	1625.00
GAGWB3522	35"	22"	18"	Drop compartment w/2 shelves 'B' rated	290	1950.00

BURGLARY AND FIRE PROTECTION SAFES

Gardall's BF models provide both burglary and fire protection for your home or office.

Standard Features:

Door: 1/2" prime steel plate with overall 4" thickness, insulated for protection against fire, with a "B" burglary rating.

Body: 1/8" plate steel with 2 1/2" of insulation and a metal inner shell.

Anti-Burglary Components:

- Hard plate to deter drilling
- Independent relocking device
- Solid steel handle designed to shear off under attack
- 1" round chrome plated locking bolts
- Full length locking bar on hinge side of safe deterring prying attacks.
- One anchoring hole in base for added security.

Locks: Group II combination locks or optional electronic lock.

Manufacturer's 350°F 1 Hour Fire Label

The BF safes were tested by the manufacturer along side a U.L. listed 1 hour fire safe in an independent fire testing furnace. The BF safe actually out performed the U.L. fire safe by 15°. The exterior of the safe was heated to 1700° for one hour and during that time the interior temperature of the safe was less than 270°. A letter of certification is available upon request. The BF safes carry Gardall's Lifetime Replacement Guarantee.



Model BF-2016

Model	Outside Dim.'s			Inside Dimensions			Approx Weight (Lbs)	Price
	H	W	D	H	W	D		
GABF1713	21 1/4"	18 1/4"	20 1/4"	16 1/2"	13 1/4"	13 1/2"	353	1475.00
GABF2016	25"	22"	22"	20"	16 1/2"	15 1/2"	496	1675.00
GABF3318	38 1/4"	23"	26 1/4"	33"	17 3/4"	18 1/2"	796	2175.00



AskYourLocksmith.com
 Lancaster, Pennsylvania
 Phone 717-392-6333

•DEPOSITORY SAFES
 •PISTOL SAFE

DOUBLE DOOR DEPOSITORY SAFES

"B" rated double-door depository, with top compartment designed for drop area. The bottom area is used for storage of valuables and quantities of change. Door thickness: 1/2" Standard color: gray.

- E LaGard 33F Electronic Pushbutton Lock
- C Both doors with Group 2 combination locks
- K Both doors with dual key lock
- KC Top door - dual key lock
Bottom door - Group 2 combination lock
- CK Top door - Group 2 combination lock
Bottom door - dual key lock



FL1337C



RC1237K

DIGITAL KEYPAD PISTOL SAFE

Portable, convenient safety for your personal firearm. Steel construction, includes steel mounting plate.



Both digital keypad and key locking. Battery powered, low-battery alarm to warn of required battery change.

Includes cable for locking and batteries.

Exterior: 4 1/4" x 9 1/2" x 14"
 Interior: 3" x 8" x 9"
 Weight: 15 lbs.

GAPS915-B-E
229⁰⁰

Model	Outside Dimensions				Inside Dimensions			Inside Cubic Inches	Approx Weight (Lbs)	Lock	Price
	H	W	D		H	W	D				
ROTARY											
GARC1237C	36 3/4"	14 1/2"	13"	T	14 3/4"	13 3/4"	10 3/4"	2180	220	C	1675.00
				B	14 3/4"	13 3/4"	10 3/4"	2180			
GARC1237K	36 3/4"	14 1/2"	13"	T	14 3/4"	13 3/4"	10 3/4"	2180	220	K	1625.00
				B	14 3/4"	13 3/4"	10 3/4"	2180			
GARC1237KC	36 3/4"	14 1/2"	13"	T	14 3/4"	13 3/4"	10 3/4"	2180	220	KC	1650.00
				B	14 3/4"	13 3/4"	10 3/4"	2180			
GARC1237CK	36 3/4"	14 1/2"	13"	T	14 3/4"	13 3/4"	10 3/4"	2180	220	CK	1650.00
				B	14 3/4"	13 3/4"	10 3/4"	2180			
FRONT LOADING											
GAFL1337C	36 3/4"	14 1/2"	13"	T	12 1/2"	13 3/4"	10 3/4"	1848	236	C	1595.00
				B	13 3/4"	13 3/4"	10 3/4"	2032			
GAFL1337K	36 3/4"	14 1/2"	13"	T	12 1/2"	13 3/4"	10 3/4"	1848	236	K	1475.00
				B	13 3/4"	13 3/4"	10 3/4"	2032			
GAFL1337KC	36 3/4"	14 1/2"	13"	T	12 1/2"	13 3/4"	10 3/4"	1848	236	KC	1575.00
				B	13 3/4"	13 3/4"	10 3/4"	2032			
GAFL1337CK	36 3/4"	14 1/2"	13"	T	12 1/2"	13 3/4"	10 3/4"	1848	236	CK	1575.00
				B	13 3/4"	13 3/4"	10 3/4"	2032			

UNDER COUNTER DEPOSITORY TC1206

For mounting under store counters and placement inside delivery trucks or taxis. Ideal for church collections. Owners and managers maintain control as deposits can be made while door remains locked. Exclusive baffle design prevents contents from being removed through the opening. With independent relocking system. "B" rated, 1/2" door, 1/4" steel body. UL listed locks. Available with dual key, combination, or electronic. Standard Color: gray

Model	Outside Dimensions			Inside Dimensions			Inside Cubic Inches	Approx Weight (Lbs)	Lock	Price
	H	W	D	H	W	D				
GATC1206C	12"	6 1/2"	6"	9 1/2"	6"	5"	285	35	C	455.00
GATC1206K	12"	6 1/2"	6"	9 1/2"	6"	5"	285	35	K	375.00





•GUN SAFES
 •PISTOL SAFE

PREMIUM QUALITY FIRELINED GUN SAFES

Fire Tested to 1400° F for 35 Minutes. Standard color: black powder coat paint.

GF5517 Features-

- 3-way locking bolts - (5 active 1" bolts)
- 3-wheel lock with spyproof dial
- Burglary proof handle
- 4 anchoring holes
- Fire tested at 1100° F for 25 minutes
- 11 gun capacity
- Black powder coated paint
- Safe fits in standard closet

Model	Lock	Gun Cap	Outside Dimensions			Inside Dimensions			Approx. Weight (Lbs)	Price
			H	W	D	H	W	D		
GAGF5517-B-C	Combination	11	55 1/4"	17 3/4"	16"	53"	16"	11 1/2"	360	825.00
GAGF5517-B-2E	Electronic	11	55 1/4"	17 3/4"	16"	53"	16"	11 1/2"	360	1050.00




GF5517

GAC5517AP-G-2 All Purpose interior for GF5517 Safe - 3 shelves **45.00**

GF6024/6030 Features-

- 3-way locking bolts - (5 active 1" bolts)
- U.L. Group II lock with spyproof dial
- 2 layers 5/8" U.L. rated fire board insulation
- 4 anchoring holes
- Fire tested at 1400° F for 35 minutes
- 8 or 16 gun capacity (GBF6024) / 14 or 18 gun capacity (GBF6030)
- Black powder coated paint
- U.L. approved Intumescent door seal expands to 7X original size
- 3 spoke handle

Model	Lock	Gun Cap	Outside Dimensions			Inside Dimensions			Approx. Weight (Lbs)	Price
			H	W	D	H	W	D		
GAGF6024-B-C	Combination	16	55 1/4"	17 3/4"	16"	53"	16"	11 1/2"	440	1350.00
GAGF6024-B-2E	Electronic	16	55 1/4"	17 3/4"	16"	53"	16"	11 1/2"	440	1575.00
GAGF6030-B-C	Combination	18	59 1/8"	30"	26"	55"	26 3/4"	20"	610	1750.00
GAGF6030-B-2E	Electronic	18	59 1/8"	30"	26"	55"	26 3/4"	20"	610	1975.00



GF6030

GF6024

GAC6024AP-G All Purpose Interior for GF6024 Safe - 3 shelves **60.00**

GAC6030AP-G All Purpose Interior for GF6030 Safe - 3 shelves **80.00**


PISTOL SAFE with SHELF

UL approved Group II lock; three wheel changeable with one million possible combinations.

Features-

- Steel recessed pry resistant door.
- Three active chrome plated round bolts with a 1 1/4" throw behind a 1/4" thick door jamb.
- Hard plate in front of lock (case-hardened- 1/8")
- Shear point handle will break off flush if forced.
- Full length locking bar on hinged side prevents forced entry.
- Reinforced door jambs with 1/4" steel collar.
- Four anchoring holes in the safe's base to bolt it to the floor.
- Pre-drilling hole in back of safe to provide electrical access for a dehumidifier or light.

Standard colors: tan or gray



GS2522

Model	Outside Dim.'s			Inside Dim.'s			Approx. Weight Interior (Lbs)	Price	
	H	W	D	H	W	D			
GAGS2522MT	25"	22"	16 3/4"	24 1/2"	21 1/2"	13"	Empty	182	1025.00



AskYourLocksmith.com
Lancaster, Pennsylvania
Phone 717-392-6333

- MONEY CHEST
 - WALL SAFE
- UTILITY SAFE
 - FLOOR SAFES

MONEY CHEST

Robbery protection: for storage of cash register drawers. "B" rated 1/2" doors, steel body. Independent relock system and hard plate. U.L. approved Group 2 lock. Hinge side of the door locks in behind the hinge to prevent prying. Color: *gray*.

Model	Outside Dimensions			Inside Dimensions			Inside Cubic Inches	Approx. Weight (Lbs)	Price
	H	W	D	H	W	D			
GAB2815	28 5/8"	23 3/8"	16"	27 7/8"	22"	13 3/4"	8277	283	1775.00

CONCEALED WALL SAFE

Designed to be recessed into a wall, and then concealed by a picture or a mirror. Fits perfectly within 16" center-on-center wall studs. Standard color: *gray*

Model	Outside Dimensions			Inside Dimensions			Inside Cubic Inches	Approx. Weight (Lbs)	Price
	H	W	D	L	W	D			
GASL4000	12 1/2"	14 3/8"	4"	12"	14"	2 3/4"	462	41	395.00
GASL4000/F	12 1/2"	14 3/8"	4"	12"	14"	2 3/4"	462	41	415.00
GASL6000	12 1/2"	14 3/8"	6"	12"	14"	4 3/8"	735	47	470.00
GASL6000/F	12 1/2"	14 3/8"	6"	12"	14"	4 3/8"	735	47	490.00

/F denotes with 1" flange flush with the front of the safe.

COMPACT UTILITY SECURITY SAFE

The ideal choice for many uses, almost anywhere: in walls, basements, car trunks, RV's and more. 1/4" solid plate wall. 1/2" thick solid steel plate door with an insurance Class "B" burglary rating. Comes with a U.L. listed Group 2 combination lock. Standard Color *gray*

Model	Outside Dimensions			Inside Dimensions			Inside Cubic Inches	Approx. Weight (Lbs)	Price
	H	W	D	H	W	D			
GAH2	10 1/4"	11 1/2"	13"	9 3/4"	10 3/4"	10 3/4"	1126	60	565.00

MEDIA SAFES

With the growing number of homes and offices using computers, the protection of magnetic media has become critical. The loss of personal as well as business records can be costly and devastating. The average fire safe is not suited to protect your electronic records. Gardall's media safes are designed to meet the additional requirements of protecting magnetic media. For your convenience we offer two sizes to choose from.

Protect Your Electronic Media

- Computer Back-Ups
- Digital Pictures
- Music CDs, DVDs & Video Tapes
- One-hour fire protection for media products

Model	Outside Dimensions			Inside Dimensions			Shelves	Approx. Weight (Lbs)	Price
	H	W	D	H	W	D			
GAEDS-1210-G-EK	21 1/2"	19 1/2"	18 1/2"	11"	9"	7 3/4"	1	244	1125.00
GAEDS-2214-G-EK	31 1/2"	23 1/4"	20"	20 3/4"	12 1/2"	8"	2	393	1575.00



SL4000/F illustrated





•Floor Safes


FLOOR SAFES

Now larger and improved, with an angled body—wider at the base—making it more difficult to tamper with, and provide users with quality construction at a lower cost. Door size: 12" x 12" Standard color: gray

Features-

- Group 2 Listed combination or electronic lock.
- Hard plate between the lock and the dial.
- Full length locking bar on the hinge side of the door.
- Independent relocking device to deter forced entry
- Door frame is reinforced on the bolt side.
- Coil spring assist on all doors for easy opening and closing.
- "B" rated burglary construction.
- Dust cover included.

Drop slot available, add \$175.00 retail.



Model	Outside Dimensions			Inside Dimensions			Inside Cubic Inches	Approx Weight (Lbs)	Price
	H	W	D	H	W	D			
GAB1307	14 3/4"	12 7/8"	11 1/4"	13 3/4"	12 1/2"	8 1/4"	1418	82	690.00
GAB1311	14 3/4"	12 7/8"	16 1/4"	13 3/4"	12 1/2"	13 1/4"	2277	98	780.00
GAG3600	23 1/2"	12 1/2"	17 1/2"	23"	12"	13"	3588	169	1220.00

SQUARE TUBE SAFES

Gardall's tube safes are a low cost in-floor safe ideal for gas stations, convenience stores, fast food, small businesses and home owners.

- Square lift out door.
- Group II U.L. listed lock.
- 1/2" "B" rated door
- 3/16" electronically welded body.
- Dust cover for concealing.
- Ship via U.P.S.
- 3/8" x 4 1/2" baffled slot (*optional*)



G700

G500

Model	Outside Dimensions			Inside Dimensions			Inside Cubic Inches	Approx Weight (Lbs)	Price
	H	W	D	H	W	D			
GAG500	8"	8"	11 1/4"	7 5/8"	7 5/8"	8"	464	36	425.00
GAG700	8"	8"	15 1/4"	7 5/8"	7 5/8"	12"	696	42	495.00



- SAFE WITHIN A SAFE
- SAFE/CHEST COMBINATION

SAFE WITHIN A SAFE

Complete protection against double trouble: "B" rated burglary safe inside a fire-resistive safe. Interior Safe 1/2" steel door, 1/4" steel body construction. Interior Door Boltwork: Dual boltwork with independent relock device and hard plate. Exterior Safe: insulated to withstand 1700°F for one hour. Exterior Door Boltwork: Interlocking bolts extend into the safe walls; full length locking bar on the hinge side of the door to deter forceable entry by removal of hinges.

Finest Quality Key-changing Combination Locks, capable of one million possible changes. U.L. approved Group 2, with built in relocking device. Relocking Mechanism: If the back cover is knocked off the lock, this independent device is activated, preventing bolt withdrawal. Specify choice of standard color: *tan or gray* Hard plate available on both interior and exterior door. "C" rated interior door available as an extra-cost option.



Z1812



Z2018



Z3018



Z4220

Model	Outside Dimensions				Inside Dimensions			Inside Cubic Inches	Approx Weight (Lbs)	Price
	H	W	D		H	W	D			
GAZ-1812	25"	17 1/4"	20 1/4"	MS	9 3/4"	12 1/2"	9"	1096	338	1535.00
				SS	7 1/4"	12 1/2"	10 3/4"	974		
GAZ-1818	25"	17 1/4"	26 1/4"	MS	9 3/4"	12 1/2"	15"	1628	410	1765.00
				SS	7 1/4"	12 1/2"	16 3/4"	1518		
GAZ-2218	28"	22 1/4"	26 1/4"	MS	12 1/2"	17"	15"	3188	568	2525.00
				SS	7 1/2"	17 1/2"	18 1/2"	2198		
GAZ-3018	38"	22 1/4"	26 1/4"	MS	12 1/2"	17"	15"	3188	690	3165.00
				SS	17 1/2"	17 1/2"	18 1/2"	5130		
GAZ-3620	44 3/4"	25 3/4"	28 1/4"	MS	12 1/2"	20 1/4"	17 1/4"	4366	1035	3645.00
				SS	23 1/4"	20 1/2"	18 1/4"	8937		
GAZ-4220	50 3/4"	25 3/4"	28 1/4"	MS	12 1/2"	20 1/4"	17 1/4"	4366	1140	4025.00
				SS	29 1/4"	20 1/2"	18 3/4"	11243		
GAZ-4820	57 1/2"	25 3/4"	28 1/4"	MS	12 1/2"	20 1/4"	17 1/4"	4366	1225	4275.00
				SS	35 1/4"	20 1/2"	18 3/4"	13550		

MS

Money Safe

SS

Shelf Safe

SAFE/CHEST COMBINATIONS

Precision construction, designed for both burglary and fire protection.

Top Unit: TL-15 U.L. listed. For storage of money and valuables.

Bottom Unit: Fire resistive, exceeds the requirements of 350°F for one hour. For storage of records.

Standard Lock: Group II combination (electronic and key-op also available).

Specify choice of standard color: *tan or gray*




Model	Outside Dimensions				Inside Dimensions			Inside Cubic Inches	Approx Weight (Lbs)	Price
	H	W	D		H	W	D			
GASC-1120	37"	22 1/4"	26 1/4"	T	9"	12"	10"	840	970	4440.00
				B	20 1/2"	17 1/2"	18"	6460		
GASC-1130	55 1/2"	25 3/4"	28 1/4"	T	9"	12"	10"	1500	1565	5415.00
				B	30 1/2"	20 1/2"	20"	12505		



IMPORTED SAFES

COMPACT 'MICROWAVE' FIRE SAFE




- Fire resistant 1 hour label
- Center bolt down
- Dual security key and combination
- Powder coating paint for increased durability
Grey

Outside	Inside	Wt.
11 1/2" x 15 1/4" x 12 1/2"	8 1/2" x 12" x 8 1/2"	61
GAMS911-G-CK	Combination	260.00
GAMS911-G-E	Electronic	330.00
Outside	Inside	Wt.
13 1/2" x 16 3/4" x 15 1/4"	9 1/2" x 12 3/4" x 10 1/4"	85
GAMS912-G-CK	Combination	290.00
GAMS912-G-E	Electronic	375.00

Outside	Inside	Wt.
15 1/2" x 11 3/4" x 12 1/2"	12 1/4" x 8 3/4" x 8 1/2"	61
GAMS119-G-CK	Combination	260.00
GAMS119-G-E	Electronic	330.00
Outside	Inside	Wt.
16 3/4" x 13 1/2" x 15 1/4"	12 3/4" x 9 1/2" x 10 1/4"	85
GAMS129-G-CK	Combination	290.00
GAMS129-G-E	Electronic	375.00

FIRE BURGLARY SAFES




- Heavy duty construction: 2" thick door, 3" thick body
- Composite construction door & body
- External glass re-locker
- 3 spoke chrome plated handle
- 2 hour fire label (KIS Standard)
- Center bolt down for ease of installation
- 1 1/4" chrome plated locking bolts
- Attractive two tone powder coated paint for increased durability
- U.L. Group II combination lock

P/N	Opening Method	Outside	Inside	Wt.	Price
GAFB1212-G-C	Combination	17 3/4" x 17 3/4" x 20 1/2"	12" x 12" x 12 3/4"	205	935.00
GAFB1212-G-ZE	Electronic	17 3/4" x 17 3/4" x 20 1/2"	12" x 12" x 12 3/4"	205	1160.00
GAFB2013-G-C	Combination	27" x 20" x 20 1/2"	20 1/2" x 13 3/4" x 12 5/8"	313	1325.00
GAFB2013-G-ZE	Electronic	27" x 20" x 20 1/2"	20 1/2" x 13 3/4" x 12 5/8"	313	1550.00
GAFB2714-G-C	Combination	33 1/2" x 20" x 22 3/4"	27 1/2" x 14 3/4" x 14 3/4"	412	1625.00
GAFB2714-G-ZE	Electronic	33 1/2" x 20" x 22 3/4"	27 1/2" x 14 3/4" x 14 3/4"	412	1850.00

WALL SAFE

This line of Wall Safes comes standard with:

- 1" flange for easy installation
- Powder coat paint
- 3/16" body and door
- 3 each 3/4" round bolts
- Carpeted inside shelf
- Locking mechanism Key only, Key w/electronic lock



P/N	Opening Method	Outside	Inside	Wt.	Price
GAWS1314-T-K	Key	13 3/4" x 14 1/2" x 4"	12" x 14" x 2 1/2"	27	300.00
GAWS1314-T-EK	Electronic/Key	13 3/4" x 14 1/2" x 4"	12" x 14" x 2 1/2"	27	350.00
GAWS1317-T-K	Key	13 3/4" x 14 1/2" x 5 1/2"	12" x 14" x 3 1/2"	30	325.00
GAWS1317-T-EK	Electronic/Key	13 3/4" x 14 1/2" x 5 1/2"	12" x 14" x 3 1/2"	30	375.00

ECONOMICAL DEPOSITORY SAFES

- 1/2" Thick Door
- 1/4" Thick Body
- External Re-locker
- Anti-fish Sawtooth Baffle



Model	Outside Dimensions			Inside Dimensions			Approx Weight (Lbs)	Price
	H	W	D	H	W	D		
GADS-1914-G-C	19"	13 1/2"	15"	12"	12 3/4"	12"	128	840.00
GADS-1914-G-E	19"	13 1/2"	15"	12 3/4"	13"	12 3/4"	112	1065.00
GADS-3315-G-CC	32 1/4"	15 3/4"	15 3/4"	10 1/4"	12 1/2"	14 1/2"	237	1365.00
GADS-3315-G-EE	32 1/4"	15 3/4"	15 3/4"	10 1/4"	12 1/2"	14 1/2"	237	1815.00
GADS-3920-G-CC	39"	20 1/4"	22"	12 1/2"	19 1/2"	19 1/4"	374	1895.00
GADS-3920-G-EE	39"	20 1/4"	22"	12 1/2"	19 1/2"	19 1/4"	374	2120.00