



AskYourLocksmith.com  
Lancaster, Pennsylvania  
Phone 717-392-6333

### MAX•BRASS MORTISE LOCKSETS

The Protective Brass Finish From Omnia That Endures for a Lifetime

#### SPECIFICATIONS. 2 1/2" backset Mortise Lockset

**For Doors:** with 3 7/8" minimum stile. 1 3/4" thick as a standard. For doors over 1 3/4" thick, specify door thickness.

**Case:** 3 5/8" x 6 1/16" x 7/8". Heavy wrought steel with zinc dichromate finish for corrosion resistance.

**Backset:** 2 1/2".

**Front:** Armored steel front, adjustable for beveled conditions. With 8" x 1 1/4" solid brass faceplate. Finished to match trim.

**Latchbolt:** 1" x 5/8" x 3/4" full throw. Solid brass with anti-friction design. US4 finish only.

**Deadbolt:** 1 3/16" x 9/16" x 1" full throw. Solid brass, one-piece component with saw-proof insert. US4 finish only.


**Springs:** High carbon steel.

**Strike:** Solid brass curved lip strike, 4 7/8" x 1 1/4" x lip 1 1/4" to center. Finished to match trim. Dust box included.

**Hand:** Fully reversible. When ordering specify right, left or reverse bevel.

**Cylinder:** Solid brass from bar stock. Made in U.S.A. Supplied with 1 1/8" Schlage "C" keyway as a standard, with cloverleaf cam and two brass keys. When applicable, cylinder collars are supplied with compression spring. Special keying available upon request.

**Hubsizes:** .290" (7mm or 3/8") hub. Broached on the square position. Hub is on one side of the lock only.



#### CHATEAU

Specify LH or RH  
Single Cylinder  
1184.00

#### TUDOR

Specify LH or RH  
Single Cylinder  
1100.00

#### REGAL

Specify LH or RH  
Single Cylinder  
1021.00

#### ESTATE

Specify LH or RH  
Single Cylinder  
1058.00

Add \$5.00 for panic-proof function

All mortise locksets shown are with MAX•BRASS lifetime finish, exterior and interior.

### INTERIOR LATCHSETS - BEST BRASS VALUES

Each set consists of 2 door knobs (or 2 lever handles), rosettes, tubular latch and spindle and all necessary mounting screws and template. Lever sets are supplied with patented extra heavy duty tubular latch especially designed for lever handles. Supplied with No. 013 "T" strike as standard. Available options are No. 014 full lip strike, at no extra charge. For No. 019 4 7/8" ASA strike, add \$10.00 to the list price.

Sets are furnished with 2 3/8" backset as standard, 2 3/4" is available at no extra charge. Sets are for standard 1 3/8" thick doors. Sets are available for 1 3/4" or 2", this must be specified. Fits 2 1/8" bore.



#### 36 LEVER

ON36PA-US3	Passage	140.00
ON36PA-US26	Passage	150.00
ON36PA-US26D	Passage	150.00
ON36PR-US3	Privacy	150.00
ON36PR-US26	Privacy	158.00
ON36PR-US26D	Privacy	158.00
ON36PD-US3	Pair Dummy	113.00
ON36PD-US26	Pair Dummy	117.00
ON36PD-US26D	Pair Dummy	117.00
ON36SD-US3	Single Dummy	61.00
ON36SD-US26	Single Dummy	65.00
ON36SD-US26D	Single Dummy	65.00



#### 42 LEVER

ON42PA-MB	Passage	231.00
ON42PR-MB	Privacy	253.00
ON42PD-MB	Pair Dummy	205.00
ON42SD-MB	Single Dummy	107.00



#### 55 LEVER

2 5/8" Dia. Rose

ON55PA-MB	Passage	286.00
ON55PR-MB	Privacy	308.00
ON55PD-MB	Pair Dummy	258.00
ON55SD-MB	Single Dummy	135.00

#### FINISHES

- US3 Polished and Lacquered Brass
- US26 Polished Chrome Plated
- US26D Satin Chrome Plated
- US15 Satin Nickel Plated, Lacquered
- MB Max-Brass®










#### 137/50 KNOB

2" Diameter



ON137PA-US3	Passage	143.00
ON137PR-US3	Privacy	151.00
ON137PD-US3	Pair Dummy	115.00
ON137SD-US3	Single Dummy	64.00




<p><b>198/50 KNOB</b> 2" Diameter</p> <table border="1"> <tr><td>ON198PA-US3</td><td>Passage</td><td>148.00</td></tr> <tr><td>ON198PA-US26</td><td>Passage</td><td>164.00</td></tr> <tr><td>ON198PA-US26D</td><td>Passage</td><td>164.00</td></tr> <tr><td>ON198PR-US3</td><td>Privacy</td><td>155.00</td></tr> <tr><td>ON198PR-US26</td><td>Privacy</td><td>171.00</td></tr> <tr><td>ON198PR-US26D</td><td>Privacy</td><td>171.00</td></tr> <tr><td>ON198PD-US3</td><td>Pair Dummy</td><td>126.00</td></tr> <tr><td>ON198PD-US26</td><td>Pair Dummy</td><td>131.00</td></tr> <tr><td>ON198PD-US26D</td><td>Pair Dummy</td><td>131.00</td></tr> <tr><td>ON198SD-US3</td><td>Single Dummy</td><td>67.00</td></tr> <tr><td>ON198SD-US26</td><td>Single Dummy</td><td>71.00</td></tr> <tr><td>ON198SD-US26D</td><td>Single Dummy</td><td>71.00</td></tr> </table> 	ON198PA-US3	Passage	148.00	ON198PA-US26	Passage	164.00	ON198PA-US26D	Passage	164.00	ON198PR-US3	Privacy	155.00	ON198PR-US26	Privacy	171.00	ON198PR-US26D	Privacy	171.00	ON198PD-US3	Pair Dummy	126.00	ON198PD-US26	Pair Dummy	131.00	ON198PD-US26D	Pair Dummy	131.00	ON198SD-US3	Single Dummy	67.00	ON198SD-US26	Single Dummy	71.00	ON198SD-US26D	Single Dummy	71.00	<p><b>432 KNOB</b></p> <table border="1"> <tr><td>ON432PA-MB</td><td>Passage</td><td>261.00</td></tr> <tr><td>ON432PR-MB</td><td>Privacy</td><td>290.00</td></tr> <tr><td>ON432PD-MB</td><td>Pair Dummy</td><td>233.00</td></tr> <tr><td>ON432SD-MB</td><td>Single Dummy</td><td>123.00</td></tr> </table> 	ON432PA-MB	Passage	261.00	ON432PR-MB	Privacy	290.00	ON432PD-MB	Pair Dummy	233.00	ON432SD-MB	Single Dummy	123.00																									
ON198PA-US3	Passage	148.00																																																																								
ON198PA-US26	Passage	164.00																																																																								
ON198PA-US26D	Passage	164.00																																																																								
ON198PR-US3	Privacy	155.00																																																																								
ON198PR-US26	Privacy	171.00																																																																								
ON198PR-US26D	Privacy	171.00																																																																								
ON198PD-US3	Pair Dummy	126.00																																																																								
ON198PD-US26	Pair Dummy	131.00																																																																								
ON198PD-US26D	Pair Dummy	131.00																																																																								
ON198SD-US3	Single Dummy	67.00																																																																								
ON198SD-US26	Single Dummy	71.00																																																																								
ON198SD-US26D	Single Dummy	71.00																																																																								
ON432PA-MB	Passage	261.00																																																																								
ON432PR-MB	Privacy	290.00																																																																								
ON432PD-MB	Pair Dummy	233.00																																																																								
ON432SD-MB	Single Dummy	123.00																																																																								
<p><b>442 KNOB</b></p> <table border="1"> <tr><td>ON442PA-US15</td><td>Passage</td><td>171.00</td></tr> <tr><td>ON442PR-US15</td><td>Privacy</td><td>185.00</td></tr> <tr><td>ON442PD-US15</td><td>Pair Dummy</td><td>138.00</td></tr> <tr><td>ON442SD-US15</td><td>Single Dummy</td><td>70.00</td></tr> </table> 	ON442PA-US15	Passage	171.00	ON442PR-US15	Privacy	185.00	ON442PD-US15	Pair Dummy	138.00	ON442SD-US15	Single Dummy	70.00	<p><b>433 KNOB</b></p> <table border="1"> <tr><td>ON433PA-US3</td><td>Passage</td><td>150.00</td></tr> <tr><td>ON433PR-US3</td><td>Privacy</td><td>158.00</td></tr> <tr><td>ON433PD-US3</td><td>Pair Dummy</td><td>123.00</td></tr> <tr><td>ON433SD-US3</td><td>Single Dummy</td><td>66.00</td></tr> </table> 	ON433PA-US3	Passage	150.00	ON433PR-US3	Privacy	158.00	ON433PD-US3	Pair Dummy	123.00	ON433SD-US3	Single Dummy	66.00																																																	
ON442PA-US15	Passage	171.00																																																																								
ON442PR-US15	Privacy	185.00																																																																								
ON442PD-US15	Pair Dummy	138.00																																																																								
ON442SD-US15	Single Dummy	70.00																																																																								
ON433PA-US3	Passage	150.00																																																																								
ON433PR-US3	Privacy	158.00																																																																								
ON433PD-US3	Pair Dummy	123.00																																																																								
ON433SD-US3	Single Dummy	66.00																																																																								
<p><b>568 LEVER</b> Specify RH or LH</p> <table border="1"> <tr><td>ON568PA-MB</td><td>Passage</td><td>267.00</td></tr> <tr><td>ON568PR-MB</td><td>Privacy</td><td>294.00</td></tr> <tr><td>ON568PD-MB</td><td>Pair Dummy</td><td>234.00</td></tr> <tr><td>ON568SD-MB</td><td>Single Dummy</td><td>158.00</td></tr> </table> 	ON568PA-MB	Passage	267.00	ON568PR-MB	Privacy	294.00	ON568PD-MB	Pair Dummy	234.00	ON568SD-MB	Single Dummy	158.00	<p><b>752 LEVER</b></p> <table border="1"> <tr><td>ON752PA-US3</td><td>Passage</td><td>138.00</td></tr> <tr><td>ON752PA-SB</td><td>Passage</td><td>150.00</td></tr> <tr><td>ON752PA-US15</td><td>Passage</td><td>154.00</td></tr> <tr><td>ON752PA-MB</td><td>Passage</td><td>232.00</td></tr> <tr><td>ON752PR-US3</td><td>Privacy</td><td>146.00</td></tr> <tr><td>ON752PR-SB</td><td>Privacy</td><td>169.00</td></tr> <tr><td>ON752PR-US15</td><td>Privacy</td><td>174.00</td></tr> <tr><td>ON752PR-MB</td><td>Privacy</td><td>259.00</td></tr> <tr><td>ON752PD-US3</td><td>Pair Dummy</td><td>111.00</td></tr> <tr><td>ON752PD-SB</td><td>Pair Dummy</td><td>116.00</td></tr> <tr><td>ON752PD-US15</td><td>Pair Dummy</td><td>121.00</td></tr> <tr><td>ON752PD-MB</td><td>Pair Dummy</td><td>202.00</td></tr> <tr><td>ON752SD-US3</td><td>Single Dummy</td><td>62.00</td></tr> <tr><td>ON752SD-SB</td><td>Single Dummy</td><td>64.00</td></tr> <tr><td>ON752SD-US15</td><td>Single Dummy</td><td>67.00</td></tr> <tr><td>ON752SD-MB</td><td>Single Dummy</td><td>106.00</td></tr> </table> 	ON752PA-US3	Passage	138.00	ON752PA-SB	Passage	150.00	ON752PA-US15	Passage	154.00	ON752PA-MB	Passage	232.00	ON752PR-US3	Privacy	146.00	ON752PR-SB	Privacy	169.00	ON752PR-US15	Privacy	174.00	ON752PR-MB	Privacy	259.00	ON752PD-US3	Pair Dummy	111.00	ON752PD-SB	Pair Dummy	116.00	ON752PD-US15	Pair Dummy	121.00	ON752PD-MB	Pair Dummy	202.00	ON752SD-US3	Single Dummy	62.00	ON752SD-SB	Single Dummy	64.00	ON752SD-US15	Single Dummy	67.00	ON752SD-MB	Single Dummy	106.00													
ON568PA-MB	Passage	267.00																																																																								
ON568PR-MB	Privacy	294.00																																																																								
ON568PD-MB	Pair Dummy	234.00																																																																								
ON568SD-MB	Single Dummy	158.00																																																																								
ON752PA-US3	Passage	138.00																																																																								
ON752PA-SB	Passage	150.00																																																																								
ON752PA-US15	Passage	154.00																																																																								
ON752PA-MB	Passage	232.00																																																																								
ON752PR-US3	Privacy	146.00																																																																								
ON752PR-SB	Privacy	169.00																																																																								
ON752PR-US15	Privacy	174.00																																																																								
ON752PR-MB	Privacy	259.00																																																																								
ON752PD-US3	Pair Dummy	111.00																																																																								
ON752PD-SB	Pair Dummy	116.00																																																																								
ON752PD-US15	Pair Dummy	121.00																																																																								
ON752PD-MB	Pair Dummy	202.00																																																																								
ON752SD-US3	Single Dummy	62.00																																																																								
ON752SD-SB	Single Dummy	64.00																																																																								
ON752SD-US15	Single Dummy	67.00																																																																								
ON752SD-MB	Single Dummy	106.00																																																																								
<p><b>768 LEVER</b> Specify RH or LH</p>  <table border="1"> <tr><td>ON768PA-US3</td><td>Passage</td><td>95.00</td></tr> <tr><td>ON768PA-SB</td><td>Passage</td><td>101.00</td></tr> <tr><td>ON768PR-US3</td><td>Privacy</td><td>102.00</td></tr> <tr><td>ON768PR-SB</td><td>Privacy</td><td>108.00</td></tr> <tr><td>ON768PD-US3</td><td>Pair Dummy</td><td>74.00</td></tr> <tr><td>ON768PD-SB</td><td>Pair Dummy</td><td>78.00</td></tr> <tr><td>ON768SD-US3</td><td>Single Dummy</td><td>40.00</td></tr> <tr><td>ON768SD-SB</td><td>Single Dummy</td><td>42.00</td></tr> </table>	ON768PA-US3	Passage	95.00	ON768PA-SB	Passage	101.00	ON768PR-US3	Privacy	102.00	ON768PR-SB	Privacy	108.00	ON768PD-US3	Pair Dummy	74.00	ON768PD-SB	Pair Dummy	78.00	ON768SD-US3	Single Dummy	40.00	ON768SD-SB	Single Dummy	42.00	<p><b>858 LEVER</b> Specify RH or LH</p>  <table border="1"> <tr><td>ON858PA-US3</td><td>Passage</td><td>142.00</td></tr> <tr><td>ON858PA-US15</td><td>Passage</td><td>159.00</td></tr> <tr><td>ON858PR-US3</td><td>Privacy</td><td>151.00</td></tr> <tr><td>ON858PR-US15</td><td>Privacy</td><td>179.00</td></tr> <tr><td>ON858PD-US3</td><td>Pair Dummy</td><td>115.00</td></tr> <tr><td>ON858PD-US15</td><td>Pair Dummy</td><td>126.00</td></tr> <tr><td>ON858SD-US3</td><td>Single Dummy</td><td>64.00</td></tr> <tr><td>ON858SD-US15</td><td>Single Dummy</td><td>70.00</td></tr> </table>	ON858PA-US3	Passage	142.00	ON858PA-US15	Passage	159.00	ON858PR-US3	Privacy	151.00	ON858PR-US15	Privacy	179.00	ON858PD-US3	Pair Dummy	115.00	ON858PD-US15	Pair Dummy	126.00	ON858SD-US3	Single Dummy	64.00	ON858SD-US15	Single Dummy	70.00	<p><b>860 KNOB</b></p>  <table border="1"> <tr><td>ON860PA-US3</td><td>Passage</td><td>148.00</td></tr> <tr><td>ON860PA-US15</td><td>Passage</td><td>164.00</td></tr> <tr><td>ON860PR-US3</td><td>Privacy</td><td>155.00</td></tr> <tr><td>ON860PR-US15</td><td>Privacy</td><td>174.00</td></tr> <tr><td>ON860PD-US3</td><td>Pair Dummy</td><td>119.00</td></tr> <tr><td>ON860PD-US15</td><td>Pair Dummy</td><td>130.00</td></tr> <tr><td>ON860SD-US3</td><td>Single Dummy</td><td>66.00</td></tr> <tr><td>ON860SD-US15</td><td>Single Dummy</td><td>72.00</td></tr> </table>	ON860PA-US3	Passage	148.00	ON860PA-US15	Passage	164.00	ON860PR-US3	Privacy	155.00	ON860PR-US15	Privacy	174.00	ON860PD-US3	Pair Dummy	119.00	ON860PD-US15	Pair Dummy	130.00	ON860SD-US3	Single Dummy	66.00	ON860SD-US15	Single Dummy	72.00
ON768PA-US3	Passage	95.00																																																																								
ON768PA-SB	Passage	101.00																																																																								
ON768PR-US3	Privacy	102.00																																																																								
ON768PR-SB	Privacy	108.00																																																																								
ON768PD-US3	Pair Dummy	74.00																																																																								
ON768PD-SB	Pair Dummy	78.00																																																																								
ON768SD-US3	Single Dummy	40.00																																																																								
ON768SD-SB	Single Dummy	42.00																																																																								
ON858PA-US3	Passage	142.00																																																																								
ON858PA-US15	Passage	159.00																																																																								
ON858PR-US3	Privacy	151.00																																																																								
ON858PR-US15	Privacy	179.00																																																																								
ON858PD-US3	Pair Dummy	115.00																																																																								
ON858PD-US15	Pair Dummy	126.00																																																																								
ON858SD-US3	Single Dummy	64.00																																																																								
ON858SD-US15	Single Dummy	70.00																																																																								
ON860PA-US3	Passage	148.00																																																																								
ON860PA-US15	Passage	164.00																																																																								
ON860PR-US3	Privacy	155.00																																																																								
ON860PR-US15	Privacy	174.00																																																																								
ON860PD-US3	Pair Dummy	119.00																																																																								
ON860PD-US15	Pair Dummy	130.00																																																																								
ON860SD-US3	Single Dummy	66.00																																																																								
ON860SD-US15	Single Dummy	72.00																																																																								



AskYourLocksmith.com  
Lancaster, Pennsylvania  
Phone 717-392-6333

**890 LEVER**

Specify RH or LH




**892 LEVER**




ON890PA-US3	Passage	130.00
ON890PA-US26	Passage	143.00
ON890PA-US26D	Passage	143.00
ON890PR-US3	Privacy	138.00
ON890PR-US26	Privacy	161.00
ON890PR-US26D	Privacy	161.00
ON890PD-US3	Pair Dummy	103.00
ON890PD-US26	Pair Dummy	110.00
ON890PD-US26D	Pair Dummy	110.00
ON890SD-US3	Single Dummy	58.00
ON890SD-US26	Single Dummy	60.00
ON890SD-US26D	Single Dummy	60.00

**AUXILIARY DEADBOLT KITS**




ON892PA-US3	Passage	134.00
ON892PA-US26	Passage	147.00
ON892PA-US26D	Passage	147.00
ON892PR-US3	Privacy	141.00
ON892PR-US26	Privacy	165.00
ON892PR-US26D	Privacy	165.00
ON892PD-US3	Pair Dummy	107.00
ON892PD-US26	Pair Dummy	114.00
ON892PD-US26D	Pair Dummy	114.00
ON892SD-US3	Single Dummy	59.00
ON892SD-US26	Single Dummy	62.00
ON892SD-US26D	Single Dummy	62.00


**FACEPLATE**



**HIGH SECURITY DEADBOLT**



**INSTALLATION OF DUST BOX, REINFORCER AND STRIKE**




- Schlage "C" keyway standard
- Employs standard mortise cylinder for ease of rekeying

Available in 2 3/8" or 2 3/4" backsets. Please specify backset and door thickness at time of order.


**D0806T TRADITIONAL DEADBOLT**

Made in U.S.A.



OND0806TA-US3	Single Cyl	125.00
OND0806TA-US26	Single Cyl	135.00
OND0806TA-US26D	Single Cyl	135.00
OND0806TA-MB	Single Cyl	166.00
OND0806TAC-US3	Double Cyl	134.00
OND0806TAC-US26	Double Cyl	148.00
OND0806TAC-US26D	Double Cyl	148.00
OND0806TAC-MB	Double Cyl	184.00


**D0806 MODERN DEADBOLT**



OND0806A-US3	Single Cyl	125.00
OND0806A-US26	Single Cyl	135.00
OND0806A-US26D	Single Cyl	135.00
OND0806A-MB	Single Cyl	166.00
OND0806AC-US3	Double Cyl	134.00
OND0806AC-US26	Double Cyl	148.00
OND0806AC-US26D	Double Cyl	148.00
OND0806AC-MB	Double Cyl	184.00

**D0806L LOW PROFILE DEADBOLT**

\*Not available for 1 3/8" thick door.



OND0806LA-US3	Single Cyl	125.00
OND0806LA-US26	Single Cyl	135.00
OND0806LA-US26D	Single Cyl	135.00
OND0806LA-SB	Single Cyl	135.00
OND0806LA-US15	Single Cyl	146.00
OND0806LA-MB	Single Cyl	166.00
OND0806LAC-US3	Double Cyl	134.00
OND0806LAC-US26	Double Cyl	148.00
OND0806LAC-US26D	Double Cyl	148.00
OND0806LAC-SB	Double Cyl	148.00
OND0806LAC-US15	Double Cyl	157.00
OND0806LAC-MB	Double Cyl	184.00

## SOLID BRASS HINGES

### 985BB - Ball Bearing, Full Mortise Hinge

Note: Doors equipped with closers should always have ball bearing hinges.




Solid Extruded Brass

Designed for installation on doors of medium weight with average frequency of usage, these solid brass hinges are suitable in light commercial and residential applications. The 985BB features two permanently lubricated, non-detachable, hardened chrome alloy ball bearings that increase load capacity and hinge life. They may be used on wood or hollow metal doors and corresponding frames. The stainless steel, rust-proof pin is knurled at the top to prevent rising, yet is "free floating" within the barrel of the hinge. The pin can be easily removed by unthreading each finial and tapping the pin upward. They conform to ANSI A2112 Specifications for performance, screw hole and cutout locations.

Standard package: 1 pair, priced per hinge.

Code	Dimensions	Finish	Price/ Hinge
ON985BB/4BTN-US3	4" x 4"	Polished Brass	36.50
ON985BB/4BTN-US26	4" x 4"	Polished Chrome	39.00
ON985BB/4BTN-US26D	4" x 4"	Satin Chrome	39.00
ON985BB/4BTN-SB	4" x 4"	Shaded Bronze	39.00
ON985BB/4BTN-US15	4" x 4"	Satin Nickel	39.00
ON985BB/4BTN-MB	4" x 4"	Max*Brass®	44.50
ON985BB/45BTN-US3	4 1/2" x 4 1/2"	Polished Brass	40.00
ON985BB/45BTN-US26	4 1/2" x 4 1/2"	Polished Chrome	44.00
ON985BB/45BTN-US26D	4 1/2" x 4 1/2"	Satin Chrome	44.00
ON985BB/45BTN-SB	4 1/2" x 4 1/2"	Shaded Bronze	44.00
ON985BB/45BTN-US15	4 1/2" x 4 1/2"	Satin Nickel	44.00
ON985BB/45BTN-MB	4 1/2" x 4 1/2"	Max*Brass®	50.50
ON985BB/5BTN-US3	5" x 5"	Polished Brass	49.50
ON985BB/5BTN-US26	5" x 5"	Polished Chrome	52.50
ON985BB/5BTN-US26D	5" x 5"	Satin Chrome	52.50
ON985BB/5BTN-SB	5" x 5"	Shaded Bronze	52.50
ON985BB/5BTN-US15	5" x 5"	Satin Nickel	52.50
ON985BB/5BTN-MB	5" x 5"	Max*Brass	64.50

## FINIALS



As a standard, each hinge set is shipped with button tips. Steeple, Crown, Ball, Acorn or Urn finials are also available at additional cost. Finials thread into the top and bottom of the hinge barrel. All finials are compatible with all hinges regardless of size. Pin does not need to be removed to change finials.

All finials are packaged and priced in pairs.

Part No.	Description	US3	US26	US26D	SB	US15	MB
ON085/ACN2	Pair of acorn finials	8.00	10.50	10.50	10.50	10.50	13.00
ON085/BAL2	Pair of ball finials	8.00	10.50	10.50	10.50	10.50	13.00
ON085/CRN2	Pair of crown finials	8.00	10.50	10.50	10.50	10.50	13.00
ON085/STP2	Pair of steeple finials	8.00	10.50	10.50	10.50	10.50	13.00
ON085/URN2	Pair of urn finials	8.00	10.50	10.50	10.50	10.50	13.00

### 985 - Plain Bearing, Full Mortise Template Hinge



Designed for doors of medium weight and low frequency usage, these solid brass hinges are suitable for residential installations. Ideal for use on wood or hollow metal doors and their corresponding frames. The 985 features a stainless steel, rust proof pin which is knurled at the top to prevent rising, yet is "free floating" within the barrel of the hinge. The pin can be easily removed by unthreading each finial and tapping the pin upward. They conform to ANSI A2133 Specifications for performance, screw hole and cutout locations.

Standard package: 1 pair, priced per hinge.

Code	Dimensions	Finish	Price/ Hinge
ON985/3BTN-US3	3" x 3"	Polished Brass	15.40
ON985/3BTN-US26	3" x 3"	Polished Chrome	20.90
ON985/3BTN-US26D	3" x 3"	Satin Chrome	20.90
ON985/3BTN-SB	3" x 3"	Shaded Bronze	20.90
ON985/3BTN-US15	3" x 3"	Satin Nickel	20.90
ON985/35BTN-US3	3 1/2" x 3 1/2"	Polished Brass	25.50
ON985/35BTN-US26	3 1/2" x 3 1/2"	Polished Chrome	28.50
ON985/35BTN-US26D	3 1/2" x 3 1/2"	Satin Chrome	28.50
ON985/35BTN-SB	3 1/2" x 3 1/2"	Shaded Bronze	28.50
ON985/35BTN-US15	3 1/2" x 3 1/2"	Satin Nickel	28.50
ON985/35BTN-MB	3 1/2" x 3 1/2"	Max Brass®	32.00
ON985/4BTN-US3	4" x 4"	Polished Brass	33.00
ON985/4BTN-US26	4" x 4"	Polished Chrome	34.50
ON985/4BTN-US26D	4" x 4"	Satin Chrome	34.50
ON985/4BTN-SB	4" x 4"	Shaded Bronze	34.50
ON985/4BTN-US15	4" x 4"	Satin Nickel	34.50
ON985/4BTN-MB	4" x 4"	Max Brass®	41.50
ON985/45BTN-US3	4 1/2" x 4 1/2"	Polished Brass	37.00
ON985/45BTN-US26	4 1/2" x 4 1/2"	Polished Chrome	40.50
ON985/45BTN-US26D	4 1/2" x 4 1/2"	Satin Chrome	40.50
ON985/45BTN-SB	4 1/2" x 4 1/2"	Shaded Bronze	40.50
ON985/45BTN-US15	4 1/2" x 4 1/2"	Satin Nickel	40.50
ON985/45BTN-MB	4 1/2" x 4 1/2"	Max Brass®	47.50